Kinetics of Foot and Ankle during Gait

Yoon Kim, MD, MMSc


Department of Rehabilitation Medicine, National Rehabilitation Center, Seoul, Republic of Korea

Kinematics? Kinetics?

- Kinematics: 운동학: describe motion using equations of motion (mass -, force -)
- Kinetics: 운동역학: explains how a body responds when a force or torque is applied to it (mass +, force +)

STATICS DYNAMICS


KINETICS KINEMATICS




Kinematics? Kinetics?

• Kinematics: 운동학: describe motion using equations of motion (mass -, force -)

• Kinetics: 운동역학: Korean So explains how a body responds when a force or torque is applied to it (mass +, force +)




Joint Kinetics





- GRF (Ground Reaction Force)
 - Force provided by a supporting horizontal surface (vertical, AP, ML)
- COP (Center of Pressure)
 - The point where the resultant of all GRF act (average location of pressure)
- Joint moment = force X moment arm
 - Net sum of all internal moments delivered by all internal structures around a joint
 - (ex: mainly muscles, but toward the end ROM, by ligamentous or bony tissue)
- Joint power = internal muscle force X muscle angular velocity
 - Net rate, amount, and timing of energy generation and absorption of all muscles and ligaments around a joint
- Equipment
- Force plate

Ground Reaction Force during Gait




Ground Reaction Force during Gait









Ground Reaction Force during Gait








KORERO

Korean Society of Rehabilitation Robot

Kinetics of Foot and Ankle at Gait (single-link model)



Three-Dimensional Lower Extremity Joint Kinetics in Nomral Pediatric Gait, Journal of Pediatric Orthopaedics, 11:341-349, 1991



- 1A: initial contact:
 GRF-post. to ankle J. center
 Tend to PF
 To control ankle DF,
 net DF moment is produced by ankle DF m.
- 1B: push-off:


 GRF-ant. to ankle J. center

 Tend to DF

 To produce active PF,


 net PF moment is produced by ankle PF m.








| | Initial contact | Loading response | Mid- stance | Mid- stance | Terminal stance | Pre-swing |
|---------------|---|-------------------------------|--------------------|---------------------|-----------------------------------|------------------------------------|
| | Heel strike ~ foot ground contact | Flat foot ~ contlat. foot off | Contlat. foot off | ~ ipsilat. heel off | Ipsilat heel-off ~ contlat. IC | Ipsilat. Toe-off, contralat. IC |
| Rocker | 1st (| (Heel) | 2 nd (A | Ankle) | 3 rd (Forefoot) | |
| GRF | Center -> Post. | Post. | Center ->Ant. | Ant. | A | nt |
| Net moment | [| OF | Р | F | PF (peak) | PF |
| Action | DF m. eccentric contraction | | PF m. e contra | | PF m. co contra | oncentric action |
| Power | Abso | rption | Absor | ption | Gene | ration |

Kinetics of Foot and Ankle at G (single-link model / sagittal)












| | contact | response |
|---------------|---|-------------------------------------|
| | Heel strike ~ foot ground contact | Flat foot ~ contlat. foot off |
| Rocker | 1st (Heel) | |
| GRF | Center -> Post. | Post. |
| Net moment | DF | |
| Action | DF m. eccentric contraction | |
| Power | Absorption | |



Kinetics of AnkKinetics of Foot and Gait (single-link model / sagittal)










| | Mid- stance | Mid- stance |
|---------------|---------------------------------------|----------------|
| | Contlat. foot off ~ ipsilat. heel off | |
| Rocker | 2 nd (Ankle) | |
| GRF | Center ->Ant. | Ant. |
| Net moment | PF | |
| Action | PF m. eccentric contraction | |
| Power | Absorption | |




Kinetics of Foot and Ankle at G (single-link model / sagittal)








| | Terminal stance | Pre-swing |
|---------------|-----------------------------------|------------------------------------|
| | Ipsilat heel-off ~ contlat. IC | Ipsilat. Toe-off, contralat. IC |
| Rocker | 3 rd (Forefoot) | |
| GRF | Ant | |
| Net moment | PF (peak) | PF |
| Action | PF m. co contra | oncentric action |
| Power | Generation | |







| Talocrural joint | | | |
|------------------|----------------------|----|--|
| Туре | Uniaxial hinge joint | | |
| Movement | DF | PF | |













| Calcaneocuboid joint | | | |
|----------------------|-----------------------------------|------------------------|--|
| Туре | Multiaxial, synovial saddle joint | | |
| Movement | Pronation (DF+AB+EV) | Supination (PF+AD+InV) | |




Midfoot Midfoot







| larsometatarsal joint | | |
|-----------------------|----------------------|--|
| Туре | Synovial plane joint | |
| Movement | DF/PF | |












| Metatarsophalangeal joint | | | |
|---------------------------|------------------------|-------|--|
| Туре | Synovial biaxial joint | | |
| Movement | FI/Ex | Ab/Ad | |
| | circumduction | | |









thank you